



产品认证证书

证书编号: CQC20002244571

发证日期: 2021 年 09 月 01 日

有效期至: 2025 年 03 月 16 日

委托人名称 株式会社韩国自动制御
及注册地址 韩国仁川市西区干支路 250 号 66 路 (佳佐洞)

制造商名称 株式会社韩国自动制御
及注册地址 韩国仁川市西区干支路 250 号 66 路 (佳佐洞)

生产企业名称 漳州宏发电声有限公司
及生产地址 漳州市长泰县陈巷镇港园工业区

产品名称和系列、规格、型号 继电器
K7SR-3A1B-12VDC, K7SR-2A2B-12VDC, K7SR-3A1B-24VDC, K7SR-2A2B-24VDC 触点负载: 6A 250VAC、6A 30VDC, 线圈: 12VDC、24VDC 0.36W, 电气寿命: 20000 周期, 机械寿命: 50000 周期, 环境温度: -40°C ~ 85°C, RTII;
K7SR-5A1B-12VDC, K7SR-4A2B-12VDC, K7SR-3A3B-12VDC, K7SR-5A1B-24VDC, K7SR-4A2B-24VDC, K7SR-3A3B-24VDC 触点负载: 6A 250VAC、6A 30VDC, 线圈: 12VDC、24VDC 0.5W, 电气寿命: 20000 周期, 机械寿命: 50000 周期, 环境温度: -40°C ~ 85°C, RTII

产品标准和技术要求 GB/T 21711.1-2008

认证模式 产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC11-462155-2010 认证规则的要求, 特发此证。
本证书为变更证书, 证书首次颁发日期: 2020 年 04 月 26 日
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



产品认证证书

证书编号: CQC20002244571


第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

系列产品型号命名规则:

K7SR 安全型继电器



①触点形式:

3A1B: 3组常开+1组常闭

2A2B: 2组常开+2组常闭

5A1B: 5组常开+1组常闭

4A2B: 4组常开+2组常闭

3A3B: 3组常开+3组常闭



②额定电压:

12VDC: 12V直流

24VDC: 24V直流



中国质量认证中心



CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC20002244571

Valid from: Sep.01,2021

Valid until: Mar.16,2025

NAME AND REGISTERED ADDRESS OF THE APPLICANT Korea Auto Controls Co.,Ltd.
66 , Geonji-ro 250beon-gil,Seo-gu,Incheon

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Korea Auto Controls Co.,Ltd.
66 , Geonji-ro 250beon-gil,Seo-gu,Incheon

NAME AND LOCATION OF THE FACTORY Zhangzhou Hongfa Electroacoustic Co., Ltd.
Gangyuan Industrial Zone, Chenxiang Town, Changtai County, Zhangzhou City

PRODUCT NAME, MODEL AND SPECIFICATION 继电器
K7SR-3A1B-12VDC ,K7SR-2A2B-12VDC,K7SR-3A1B-24VDC, K7SR-2A2B-24VDC 触点负载 : 6A 250VAC、6A 30VDC,线圈 : 12VDC、24VDC 0.36W,电气寿命 : 20000 周期 , 机械寿命 : 50000 周期 , 环境温度 : -40℃ ~ 85℃ , RTII;
K7SR-5A1B-12VDC,K7SR-4A2B-12VDC,K7SR-3A3B-12VDC,K7SR-5A1B-24VDC,K7SR-4A2B-24VDC, K7SR-3A3B-24VDC 触点负载 : 6A 250VAC、6A 30VDC,线圈 : 12VDC、24VDC 0.5W,电气寿命 : 20000 周期 , 机械寿命 : 50000 周期 , 环境温度 : -40℃ ~ 85℃ , RTII

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS GB/T 21711.1-2008

TYPE OF CERTIFICATION SCHEMES Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-462155-2010.

Date of original issued: Apr.26,2020

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC20002244571


page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

系列产品型号命名规则:

K7SR
安全型继电器



①触点形式:

3A1B: 3组常开+1组常闭

2A2B: 2组常开+2组常闭

5A1B: 5组常开+1组常闭

4A2B: 4组常开+2组常闭

3A3B: 3组常开+3组常闭



②额定电压:

12VDC: 12V直流

24VDC: 24V直流



CHINA QUALITY CERTIFICATION CENTRE